

ECOLE D'ÉTÉ
GRETSI
GdR ISIS
Peyresq
Juin 2012

Marc ANTONINI

3D mesh coding :
Problem
statement

The semi-regular
remeshing

Coding the
meshes

Demo :
coding/decoding
multiresolution
meshes

Discussion and
challenges

Multiresolution coding of 3D meshes

Marc Antonini

Directeur de Recherche CNRS

am@i3s.unice.fr

<http://www.i3s.unice.fr/~am>

Laboratoire I3S

MULTIMEDIA IMAGE CODING AND PROCESSING GROUP

Université de Nice-Sophia Antipolis - CNRS



MediaCoding
Multimedia Image Coding and Processing

The applications

ECOLE D'ÉTÉ
GRETSI
GbR ISIS
Peyresq
Juin 2012

Marc ANTONINI

3D mesh coding :
Problem
statement

The semi-regular
remeshing

Coding the
meshes

Demo :
coding/decoding
multiresolution
meshes

Discussion and
challenges




[Online] Gaming On PC

Performance for HighRes 3D models,
Smaller size of datasets
Network and buses transfer rate




[Online] Embedded Gaming

Performance for quality 3D models
on restricted hardware
Network and buses transfer rate



CAD/CAM and Design

For storage and transfer
of datasets




DCC and Production

Brings new capabilities on modelers



Medical and Seismic

Lets build huge datasets
from volume images



Virtual Mockup

Lets build huge datasets
from Huge CAD/CAM assemblies



Tele conferencing


Transport realistic clones
on traditional networks

Required functionality : the scalability

ECOLE D'ÉTÉ
GRETSI
GdR ISIS
Peyresq
Juin 2012

Marc ANTONINI

Different clients, different channels, **ONE** mesh or animation file



3D mesh coding :
Problem
statement

The semi-regular
remeshing

Coding the
meshes

Demo :
coding/decoding
multiresolution
meshes

Discussion and
challenges

Scalability

ECOLE D'ÉTÉ
GRETSI
GdR ISIS
Peyresq
Juin 2012

Marc ANTONINI

3D mesh coding :
Problem
statement

The semi-regular
remeshing

Coding the
meshes

Demo :
coding/decoding
multiresolution
meshes

Discussion and
challenges

Different kinds of scalability

- Resolution (spatial or temporal)
- Rate
- Quality
- Complexity
- Region of interest (ROI)
- etc.

Support of scalability

- Usually causes
 - Complexity increase
 - Performance drop
- Alternative : multiresolution and **wavelet-based coders**

Outline

ECOLE D'ÉTÉ
GRETSI
GdR ISIS
Peyresq
Juin 2012

Marc ANTONINI

3D mesh coding :
Problem
statement

The semi-regular
remeshing

Coding the
meshes

Demo :
coding/decoding
multiresolution
meshes

Discussion and
challenges

- 1 3D mesh coding : Problem statement
- 2 The semi-regular remeshing
- 3 Coding the meshes
- 4 Demo : coding/decoding multiresolution meshes
- 5 Discussion and challenges

Outline

ECOLE D'ÉTÉ
GRETSI
GdR ISIS
Peyresq
Juin 2012

Marc ANTONINI

3D mesh coding :
Problem
statement

The semi-regular
remeshing

Coding the
meshes

Demo :
coding/decoding
multiresolution
meshes

Discussion and
challenges

1 3D mesh coding : Problem statement

2 The semi-regular remeshing

3 Coding the meshes



4 Demo : coding/decoding multiresolution meshes

5 Discussion and challenges

What is a surface mesh ?

A surface triangle mesh is composed by

- A **geometry** : the position of vertices in $\mathbb{R}^3$ (irregular sampling)
- A **connectivity** : the connections between the vertices



State of the art

ECOLE D'ÉTÉ
GRETSI
GdR ISIS
Peyresq
Juin 2012

Marc ANTONINI

3D mesh coding :
Problem
statement

The semi-regular
remeshing


Coding the
meshes

Demo :
coding/decoding
multiresolution
meshes


Discussion and
challenges

Single rate compression (Lossless)

- No assumption on the mesh
- Specialized for massive datasets which cannot fit entirely into memory
- Encoding of connectivity (e.g. *Touma-Gotsman*, *topological surgery*, *Edgebreaker*) or based on remeshing (e.g. *geometry images*)



Progressive compression (Lossy to lossless)



State of the art : Progressive compression

ECOLE D'ÉTÉ
GRETSI
GdR ISIS
Peyresq
Juin 2012

Marc ANTONINI

3D mesh coding :
Problem
statement

The semi-regular
remeshing


Coding the
meshes

Demo :
coding/decoding
multiresolution
meshes

Discussion and
challenges

Two kinds of approaches

- Based on simplification/refinement (decimation, edge collapse, vertex split)
- Based on **multiresolution analysis** (wavelets)



Objective

Rate-distortion optimization between data size and approximation accuracy

Multiresolution for irregular meshes ?

ECOLE D'ÉTÉ
GRETSI
GdR ISIS
Peyresq
Juin 2012

Marc ANTONINI

3D mesh coding :
Problem
statement

The semi-regular
remeshing

Coding the
meshes

Demo :
coding/decoding
multiresolution
meshes

Discussion and
challenges

Two options for computing the transform

- Without connectivity modification
e.g. wavelet transform for irregular meshes (Valette, Prost 2004)
- A mesh is considered as one instance of the surface geometry
 - **REMESHING** operation
 - Create regular and uniform geometry sampling
 - **Wavelet transform (DWT) for semi-regular meshes**

Outline

ECOLE D'ÉTÉ
GRETSI
GdR ISIS
Peyresq
Juin 2012

Marc ANTONINI

3D mesh coding :
Problem
statement

The semi-regular
remeshing

Coding the
meshes

Demo :
coding/decoding
multiresolution
meshes

Discussion and
challenges

- 1 3D mesh coding : Problem statement
- 2 The semi-regular remeshing
- 3 Coding the meshes
- 4 Demo : coding/decoding multiresolution meshes
- 5 Discussion and challenges

Irregular meshes

ECOLE D'ÉTÉ
GRETSI
GdR ISIS
Peyresq
Juin 2012

Marc ANTONINI

3D mesh coding :
Problem
statement


The semi-regular
remeshing

Coding the
meshes

Demo :
coding/decoding
multiresolution
meshes

Discussion and
challenges

• Irregular sampling $\rightarrow$ valency $\neq 6$



The semi-regular mesh : a multiscale data

ECOLE D'ÉTÉ
GRETSI
GdR ISIS
Peyresq
Juin 2012

Marc ANTONINI


3D mesh coding :
Problem
statement

The semi-regular
remeshing

Coding the
meshes

Demo :
coding/decoding
multiresolution
meshes

Discussion and
challenges



Advantages of semi-regularity

ECOLE D'ÉTÉ
GRETSI
GdR ISIS
Peyresq
Juin 2012

Marc ANTONINI

3D mesh coding :
Problem
statement

The semi-regular
remeshing

Coding the
meshes

Demo :
coding/decoding
multiresolution
meshes

Discussion and
challenges

- Multiresolution structure
- Quasi-implicit connectivity (only base mesh connectivity)
- Efficient compression
- Progressive transmission
- Scalability properties

The most famous semi-regular remeshers

ECOLE D'ÉTÉ
GRETSI
GdR ISIS
Peyresq
Juin 2012

Marc ANTONINI

3D mesh coding :
Problem
statement

The semi-regular
remeshing

Coding the
meshes

Demo :
coding/decoding
multiresolution
meshes

Discussion and
challenges

- **MAPS** [Lee et al (1998)]

- A coarse mesh containing geometry and connectivity
- N_1 sets of 3D details (ONLY geometry) (3 floating numbers)

- **Normal meshes** [Guskov et al 2000]

- A coarse mesh containing geometry and connectivity
- N_2 sets of 3D details (ONLY geometry) (1 floating number, i.e., the normal to the surface)
- MORE COMPACT semi-regular representation

- **Globally smooth parametrization (GSP)** [Khodakovsky et al 2003]

- **Variational normal meshes (VNM)** [Khodakovsky et al 2004]

- **TriReme** [Guskov et al 2007]

→ **Methods based on 2D PARAMETERIZATION**

Remeshing using a 2D parameterization

ECOLE D'ÉTÉ
GRETSI
GdR ISIS
Peyresq
Jun 2012

Marc ANTONINI


3D mesh coding :
Problem
statement

The semi-regular
remeshing

Coding the
meshes

Demo :
coding/decoding
multiresolution
meshes

Discussion and
challenges



The 2D parameterization of 3D meshes

ÉCOLE D'ÉTÉ
GRETSI
GdR ISIS
Peyresq
Juin 2012

Marc ANTONINI

3D mesh coding :
Problem
statement

The semi-regular
remeshing


Coding the
meshes

Demo :
coding/decoding
multiresolution
meshes

Discussion and
challenges

Requirements (slide from P. Alliez and G. Gotsman)

- Bijective
- Minimal distortion
 - Preserve 3D angles
 - Preserve 3D distances
 - Preserve 3D areas
 - No 'stretch'



A remeshing solution without parameterization

ECOLE D'ÉTÉ
GRETSI
GdR ISIS
Peyresq
Juin 2012

Marc ANTONINI

3D mesh coding :
Problem
statement

The semi-regular
remeshing

Coding the
meshes

Demo :
coding/decoding
multiresolution
meshes


Discussion and
challenges

I3S solution based on Lloyd relaxation

Main idea : Construct progressively a Voronoi partition of the irregular mesh geometry

Basic principle :

- Simplification step : Create a Voronoi tessellation of the irregular mesh with few regions



- Refinement step : Add **semi-regular** Voronoi seeds to refine the tessellation

Construction of a Voronoi tessellation

ECOLE D'ÉTÉ
GRETSI
GbR ISIS
Peyresq
Juin 2012

Marc ANTONINI

3D mesh coding :
Problem
statement

The semi-regular
remeshing

Coding the
meshes

Demo :
coding/decoding
multiresolution
meshes

Discussion and
challenges

Two optimal conditions :

- Nearest neighbor condition

→ The Voronoi tessellation of $\mathbb{R}^n$ in L clusters R_k is given by

$$R_k = \{v \in \mathbb{R}^n / d(v, s_k) \leq d(v, s_j) \quad \forall j \in \{1, 2, \dots, L\}\}$$

where $d(u, v)$ stands for the geodesic distance^a

- The centroid (or mass center) condition

$$s_k = \frac{\int_{R_k} v \rho(v) dv}{\int_{R_k} \rho(v) dv}$$

where $\rho(v)$ corresponds to the mass of v

a. Can be computed by Dijkstra algorithm

The Lloyd's relaxation

ECOLE D'ÉTÉ
GRETSI
GdR ISIS
Peyresq
Juin 2012

Marc ANTONINI

3D mesh coding :
Problem
statement


The semi-regular
remeshing

Coding the
meshes


Demo :
coding/decoding
multiresolution
meshes

Discussion and
challenges

Example of tessellation of $\mathbb{R}^2$



Voronoi



Dual : Delaunay triangulation

Tessellation of a surface mesh

ECOLE D'ÉTÉ
GRETSI
GdR ISIS
Peyresq
Juin 2012

Marc ANTONINI

3D mesh coding :
Problem
statement

The semi-regular
remeshing


Coding the
meshes

Demo :
coding/decoding
multiresolution
meshes

Discussion and
challenges

Use the geometry of the original mesh as input data

- Let $S = \{v_i, i = \{0, 1, \dots, N - 1\}\}$ be the set of vertices in $\mathbb{R}^3$ of a irregular surface mesh.
 - S is considered as the input data to be meshed
- The mass $\rho(v)$ is considered as the area of the dual cell of v



The mesh simplification

ECOLE D'ÉTÉ
GRETSI
GdR ISIS
Peyresq
Juin 2012

Marc ANTONINI

3D mesh coding :
Problem
statement

The semi-regular
remeshing

Coding the
meshes

Demo :
coding/decoding
multiresolution
meshes

Discussion and
challenges

Idea

- Construct a Voronoi Tessellation with a small number of clusters
- Use the Lloyd's relaxation on the input data set S

Principle of the algorithm

- Initial conditions :
 - Let V the desired number of vertices in the simplified mesh
 - Select V seeds (high curvature or dart throwing...)
- Apply the Lloyd's relaxation until convergence
- Project the final centroid onto the original mesh

The mesh simplification

Example of a surface tessellation

ÉCOLE D'ÉTÉ
GRETSI
GdR ISIS
Peyresq
Juin 2012

Marc ANTONINI


3D mesh coding :
Problem
statement

The semi-regular
remeshing

Coding the
meshes

Demo :
coding/decoding
multiresolution
meshes

Discussion and
challenges



The mesh simplification

ECOLE D'ÉTÉ
GRETSI
GdR ISIS
Peyresq
Juin 2012

Marc ANTONINI

3D mesh coding :
Problem
statement

The semi-regular
remeshing


Coding the
meshes

Demo :
coding/decoding
multiresolution
meshes

Discussion and
challenges

How to obtain the base mesh ?

- Keep the mass centers created by the Lloyd's relaxation
- Construct the Delaunay triangulation



Voronoi tessellation (left) and the corresponding mesh (right)

Refinement by subdivisions of the base mesh

ECOLE D'ÉTÉ
GRETSI
GbR ISIS
Peyresq
Juin 2012

Marc ANTONINI

3D mesh coding :
Problem
statement

The semi-regular
remeshing


Coding the
meshes

Demo :
coding/decoding
multiresolution
meshes


Discussion and
challenges

At each subdivision level (resolution)


- Subdivide the triangles (1 : 4 subdivision)
- Consider the added vertices as Voronoi seeds
- Update the tessellation using Lloyd's relaxation



first resolution



Add Voronoi seeds



Update tessellation

Example of remeshing

ECOLE D'ÉTÉ
GRETSI
GdR ISIS
Peyresq
Juin 2012

Marc ANTONINI

3D mesh coding :
Problem
statement

The semi-regular
remeshing

Coding the
meshes

Demo :
coding/decoding
multiresolution
meshes

Discussion and
challenges

Adaptive vs non adaptive refinements

ECOLE D'ÉTÉ
GRETSI
GdR ISIS
Peyresq
Juin 2012

Marc ANTONINI

3D mesh coding :
Problem
statement


The semi-regular
remeshing

Coding the
meshes

Demo :
coding/decoding
multiresolution
meshes

Discussion and
challenges

Remeshing of skull



- LEFT** Uniform subdivision [Guskov et al. '01]
(262 144 triangles - $\text{RMSE} = 2.09 \times 10^{-2}$)
- MIDDLE** Original
- RIGHT** Remeshed with adaptive subdivision (in-house solution)
(140 544 triangles - $\text{RMSE} = 1.05 \times 10^{-2}$)

Multiresolution properties of the adaptive mesh

ECOLE D'ÉTÉ
GRETSI
GbR ISIS
Peyresq
Juin 2012

Marc ANTONINI




3D mesh coding :
Problem
statement

The semi-regular
remeshing

Coding the
meshes

Demo :
coding/decoding
multiresolution
meshes

Discussion and
challenges



How to measure the remeshing distortion ?

ECOLE D'ÉTÉ
GRETSI
GdR ISIS
Peyresq
Juin 2012

Marc ANTONINI

3D mesh coding :
Problem
statement

The semi-regular
remeshing

Coding the
meshes

Demo :
coding/decoding
multiresolution
meshes

Discussion and
challenges

The surface-surface distance

- The point-surface distance

$$d(p, S') = \min_{p' \in S'} \|p - p'\|_2$$

- The unilateral distance between 2 surfaces S and S'

- **RMSE** $\rightarrow \bar{d}(S, S') = \left(\frac{1}{|S|} \int_{p \in S} d(p, S')^2 ds \right)^{\frac{1}{2}}$

- **Hausdorff distance** $\rightarrow \bar{d}(S, S') = \max_{p \in S} d(p, S')$

- The symmetrical surface-surface distance

$$d_{sym}(S, S') = \max[\bar{d}(S, S'), \bar{d}(S', S)]$$

The remeshing error

ECOLE D'ÉTÉ
GRETSI
GdR ISIS
Peyresq
Jun 2012

Marc ANTONINI

3D mesh coding :
Problem
statement


The semi-regular
remeshing

Coding the
meshes

Demo :
coding/decoding
multiresolution
meshes

Discussion and
challenges

RSME in function of the number of triangles for Venus



RMSE given by MESH software

$$\bar{d}(S, S') = \sqrt{\frac{1}{|S|} \int_{p \in S} d(p, S') ds}$$

Outline

ECOLE D'ÉTÉ
GRETSI
GdR ISIS
Peyresq
Juin 2012

Marc ANTONINI

3D mesh coding :
Problem
statement

The semi-regular
remeshing

Coding the
meshes

Demo :
coding/decoding
multiresolution
meshes

Discussion and
challenges

1 3D mesh coding : Problem statement

2 The semi-regular remeshing

3 Coding the meshes

4 Demo : coding/decoding multiresolution meshes

5 Discussion and challenges

General coding scheme

ECOLE D'ÉTÉ
GRETSI
GdR ISIS
Peyresq
Juin 2012

Marc ANTONINI


3D mesh coding :
Problem
statement

The semi-regular
remeshing

Coding the
meshes

Demo :
coding/decoding
multiresolution
meshes

Discussion and
challenges



Typical coding scheme for semi-regular meshes

ECOLE D'ÉTÉ
GRETSI
GdR ISIS
Peyresq
Juin 2012

Marc ANTONINI


3D mesh coding :
Problem
statement

The semi-regular
remeshing

Coding the
meshes

Demo :
coding/decoding
multiresolution
meshes

Discussion and
challenges




¹ Connectivity encoding: Touma-Gotsman coder


DWT for remeshed surfaces : The tools

Butterfly-based wavelet transform (1996)

→ A lifting scheme implementation - Interpolating filter



→ The 4-Channels lifting scheme



The lifting scheme

ECOLE D'ÉTÉ
GRETSI
GdR ISIS
Peyresq
Juin 2012

Marc ANTONINI

3D mesh coding :
Problem
statement


The semi-regular
remeshing

Coding the
meshes

Demo :
coding/decoding
multiresolution
meshes

Discussion and
challenges

Principle



- PREDICTION :

$$C^j = M_1^j - P * M_0^j$$

- UPDATE :

$$M^{j-1} = 2 \times (M_0^j + U^j * C^j)$$

DWT for remeshed surfaces

ECOLE D'ÉTÉ
GRETSI
GdR ISIS
Peyresq
Juin 2012

Marc ANTONINI

3D mesh coding :
Problem
statement

The semi-regular
remeshing

Coding the
meshes

Demo :
coding/decoding
multiresolution
meshes


Discussion and
challenges

Properties for compression

- The connectivity is implicit except for the coarse mesh
- Only the geometry (wavelet coefficients) must be coded

Optimize the rate-distortion trade-off !

- **Bit allocation**



Optimal bit allocation

ECOLE D'ÉTÉ
GRETSI
GdR ISIS
Peyresq
Juin 2012

Marc ANTONINI

3D mesh coding :
Problem
statement

The semi-regular
remeshing

Coding the
meshes

Demo :
coding/decoding
multiresolution
meshes

Discussion and
challenges

Objective

- Given a rate constraint $\sum_{i=1}^M a_i R_i \leq R_{\text{MAX}}$,
- Determine the optimal set of bit-rates $\mathbf{R} = \{R_i\}_{i=1}^M$
- Which minimizes global distortion $D(\mathbf{R})$,
- Knowing that $D(\mathbf{R}) = \sum_{i=1}^M w_i D_i(R_i)$

Lagrangian optimization : minimize

$$J(\mathbf{R}, \lambda) = \sum_{i=1}^M w_i D_i(R_i) - \lambda \left(\sum_{i=1}^M a_i R_i - R_{\text{MAX}} \right)$$

λ : common slope to curves $D_i(R_i)$

hypothesis : $D_i(R_i)$ are convex and monotonic

Optimal bit allocation : algorithm

ECOLE D'ÉTÉ
GRETSI
GdR ISIS
Peyresq
Juin 2012

Marc ANTONINI

3D mesh coding :
Problem
statement


The semi-regular
remeshing

Coding the
meshes

Demo :
coding/decoding
multiresolution
meshes

Discussion and
challenges

Determine the rate corresponding to the slope λ



Calculus of $\frac{\Delta D_k}{\Delta R_k}$

ECOLE D'ÉTÉ
GRETSI
GbR ISIS
Peyresq
Juin 2012

Marc ANTONINI

3D mesh coding :
Problem
statement

The semi-regular
remeshing

Coding the
meshes

Demo :
coding/decoding
multiresolution
meshes

Discussion and
challenges

Two kinds of approaches

- **Signal based** : BRUTE FORCE coding
 - Estimation of the real bitrate and distortion (EZW and SPIHT family, JPEG 2000)
- **Model based** : theoretical models
 - Asymptotical modeling of the rate-distortion function (Shannon, Bennett, Zador,...)
 - Exact modeling (in some cases)
 - 1- exact modeling in the case of scalar quantization
 - 2- approximation of the rate-distortion function using "smoothing splines"

Coding/decoding results ¹

ECOLE D'ÉTÉ
GRETSI
GdR ISIS
Peyresq
Juin 2012

Marc ANTONINI


3D mesh coding :
Problem
statement

The semi-regular
remeshing

Coding the
meshes

Demo :
coding/decoding
multiresolution
meshes

Discussion and
challenges



$$PSNR_{dB} = 20 \log_{10} \frac{\text{BoundingBox}}{d_{sym}(S, S')}$$

Some visual coding/decoding results²

ECOLE D'ÉTÉ
GRETSI
GdR ISIS
Peyresq
Juin 2012

Marc ANTONINI

3D mesh coding :
Problem
statement

The semi-regular
remeshing

Coding the
meshes


Demo :
coding/decoding
multiresolution
meshes

Discussion and
challenges

Input mesh
(irregular)



CR = 45
4.07 bits/iv




CR = 83
2.2 bits/iv



CR = 226
0.82 bits/iv



CR = 900
0.2 bits/iv



Object Skull:

20 002 irregular vertices (40 000 triangles)

131 074 semi-regular vertices

Outline

ECOLE D'ÉTÉ
GRETSI
GdR ISIS
Peyresq
Juin 2012

Marc ANTONINI

3D mesh coding :
Problem
statement

The semi-regular
remeshing

Coding the
meshes

Demo :
coding/decoding
multiresolution
meshes

Discussion and
challenges

- 1 3D mesh coding : Problem statement
- 2 The semi-regular remeshing
- 3 Coding the meshes
- 4 Demo : coding/decoding multiresolution meshes**
- 5 Discussion and challenges

Visualization and manipulation application

ECOLE D'ÉTÉ
GRETSI
GdR ISIS
Peyresq
Juin 2012

Marc ANTONINI

3D mesh coding :
Problem
statement

The semi-regular
remeshing

Coding the
meshes

Demo :
coding/decoding
multiresolution
meshes

Discussion and
challenges

Motivation

- Visualize massive meshes (> millions of triangles)
- “Real time” rendering
- Scalability (resolution, rate, ROI...)
- Parallel processing → use of Vector Quantization

Bottleneck

- The DATA BUS between HDD, RAM and VRAM !!
 - Slow data transmission compared to Tera flops computation capacity of today Graphic Cards
 - DATA BUS seen as a **low bandwidth transmission channel**

Visualization and manipulation application

ECOLE D'ÉTÉ
GRETSI
GbR ISIS
Peyresq
Juin 2012

Marc ANTONINI

3D mesh coding :
Problem
statement

The semi-regular
remeshing


Coding the
meshes

Demo :
coding/decoding
multiresolution
meshes

Discussion and
challenges

Solution

- Push COMPRESSED GEOMETRY to the VRAM
- Decoding INSIDE the GPU (GPGPU implemented)



Quantizing the DWT of the geometry

ECOLE D'ÉTÉ
GRETSI
GdR ISIS
Peyresq
Jun 2012

Marc ANTONINI

3D mesh coding :
Problem
statement

The semi-regular
remeshing

Coding the
meshes

Demo :
coding/decoding
multiresolution
meshes

Discussion and
challenges

The lattice vector quantization solution (LVQ)

• Why LVQ ?



→ VQ is well suited for geometry coding

- a vertex v is a vector $\in \mathbb{R}^3$
- a triangle T is a vector $\in \mathbb{R}^9$
- ...

→ LVQ is a structured vector quantizer defined as $\Lambda \in \mathbb{R}^n$

$$\Lambda = \{\mathbf{x} | \mathbf{x} = u_1 \mathbf{a}_1 + u_2 \mathbf{a}_2 + \dots u_n \mathbf{a}_n\} \text{ where } \mathbf{a}_i \in \mathbb{R}^m \ (m \geq n)$$

• Examples



Using a LVQ for quantization

ECOLE D'ÉTÉ
GRETSI
GdR ISIS
Peyresq
Juin 2012

Marc ANTONINI

3D mesh coding :
Problem
statement

The semi-regular
remeshing


Coding the
meshes

Demo :
coding/decoding
multiresolution
meshes

Discussion and
challenges

The product code

- A group of triangles of the mesh is quantized by a lattice point
- Each lattice point is indexed using a product code composed by
 - the lattice point norm
 - its position on a surface with constant norm



Loading and rendering time consumption

ECOLE D'ÉTÉ
GRETSI
GdR ISIS
Peyresq
Jun 2012

Marc ANTONINI

3D mesh coding :
Problem
statement

The semi-regular
remeshing

Coding the
meshes

Demo :
coding/decoding
multiresolution
meshes

Discussion and
challenges

	DAT Format State of the art No compression	I3S Format No compression (No GPGPU)	I3S Format Compressed 1:50 (GPGPU Implemented)	I3S Format Compressed 1:100 (GPGPU Implemented)
6 750 K Triangles	 194 MB Disk 225 MB RAM 49 s Load Display 166 ms	 36 MB Disk 225 MB RAM 7 s Load Display 166 ms	 732 KB Disk 8.4 MB RAM 280 ms Load Display 30 ms	 365 KB Disk 8 MB RAM 210 ms Load Display 21 ms
16 750 K Triangles	 480 MB Disk 567 MB RAM 127 s Load Display 420 ms	 100 MB Disk 567 MB RAM 19 s Load Display 420 ms	 1 960 KB Disk 21 MB RAM 590 ms Load Display 67 ms	 1 000 KB Disk 20 MB RAM 515 ms Load Display 55 ms

GPU: 7x48 OpenCL cores @ 1430MHz, VRAM: 1GB, Bandwidth: 115.2GB/s

Demonstration : visualizing huge meshes

ECOLE D'ÉTÉ
GRETSI
GdR ISIS
Peyresq
Juin 2012

Marc ANTONINI

3D mesh coding :
Problem
statement

The semi-regular
remeshing

Coding the
meshes

Demo :
coding/decoding
multiresolution
meshes

Discussion and
challenges

Characteristics of the material

- NVIDIA GeForce 320M (GPU)
- Memory (RAM) = 4 Go
- Memory (VRAM) = 256 Mo

Characteristics of the mesh (BIMBA)

- Number of triangles = 16 750 000
- Number of vertices = 8 437 666
- Total cost on HDD = 290 Mo
- Total cost including the normals = 386 Mo

Outline

ECOLE D'ÉTÉ
GRETSI
GdR ISIS
Peyresq
Juin 2012

Marc ANTONINI

3D mesh coding :
Problem
statement

The semi-regular
remeshing

Coding the
meshes

Demo :
coding/decoding
multiresolution
meshes

Discussion and
challenges

- 1 3D mesh coding : Problem statement
- 2 The semi-regular remeshing
- 3 Coding the meshes
- 4 Demo : coding/decoding multiresolution meshes
- 5 Discussion and challenges

Discussion

ECOLE D'ÉTÉ
GRETSI
GdR ISIS
Peyresq
Juin 2012

Marc ANTONINI

3D mesh coding :
Problem
statement

The semi-regular
remeshing

Coding the
meshes

Demo :
coding/decoding
multiresolution
meshes

Discussion and
challenges

Semi-regularity allows

- Implicit connectivity
- DWT multiresolution analysis
- Good scalability properties

Wavelets and vector quantization allow

- highly parallel coding/decoding
- last moment GPU decoding
solving the data transfer bottleneck on data buses
- multiresolution technology
minimizing drastically the GPU resources needed
- to visualize or manipulate multi-millions triangles objects on Workstations (multi-thousands on Smartphones)

Challenges

ECOLE D'ÉTÉ
GRETSI
GbR ISIS
Peyresq
Juin 2012

Marc ANTONINI

3D mesh coding :
Problem
statement

The semi-regular
remeshing

Coding the
meshes

Demo :
coding/decoding
multiresolution
meshes

Discussion and
challenges

- Construct or scan directly semi-regular meshes
 - NO REMESHING operation
- Deal with more complex objects and/or more detailed
 - OUT-OF-CORE data
- 3D ANIMATIONS
- Take into account human visual perception
 - What EFFICIENT PERCEPTUAL DISTORTION MEASURE ?

Is there anything left to do in image coding ?

ECOLE D'ÉTÉ
GRETSI
GdR ISIS
Peyresq
Juin 2012

Marc ANTONINI

3D mesh coding :
Problem
statement

The semi-regular
remeshing

Coding the
meshes

Demo :
coding/decoding
multiresolution
meshes

Discussion and
challenges

From massive to out-of-core data... With billions of faces !



[Rendering of the 940 millions
faces done by I3S lab]



(MICHELANGELO PROJECT - DAVID 940 MILLIONS FACES, FILE SIZE > 20 GBYTES)

Thank you !!

Acknowledgement to
F. Payan, L.H. Fonteles, A. Meftah